

MTH141 Stewart Section 2.7

Gene Quinn

Derivatives

Definition: The **tangent line** to the curve $y = f(x)$ at the point $P = (a, f(a))$ is the line through P having slope

$$m = \lim_{x \rightarrow a} \frac{f(x) - f(a)}{x - a}$$

provided the limit exists.

Derivatives

Definition: The **tangent line** to the curve $y = f(x)$ at the point $P = (a, f(a))$ is the line through P having slope

$$m = \lim_{x \rightarrow a} \frac{f(x) - f(a)}{x - a}$$

provided the limit exists.

The slope of the tangent line can also be expressed as

$$m = \lim_{h \rightarrow 0} \frac{f(x + h) - f(x)}{h}$$

Derivatives

Definition: The **derivative of a function f at a number a** is denoted by $f'(a)$ and given by the limit

$$f'(a) = \lim_{h \rightarrow 0} \frac{f(a+h) - f(a)}{h}$$

provided the limit exists.

Derivatives

Definition: The **derivative of a function f at a number a** is denoted by $f'(a)$ and given by the limit

$$f'(a) = \lim_{h \rightarrow 0} \frac{f(a+h) - f(a)}{h}$$

provided the limit exists.

An equivalent way of stating the definition is

$$f'(a) = \lim_{x \rightarrow a} \frac{f(x) - f(a)}{x - a}$$

Interpretation: Derivative as the Slope of a Tangent

Definition: The tangent line to

$$y = f(x)$$

at the point $(a, f(a))$ is the line passing through $(a, f(a))$ whose slope is equal to $f'(a)$, the derivative of f at a .

Interpretation: Derivative as a Rate of Change

Definition: The derivative of f at a , $f'(a)$, is the *instantaneous rate of change of $y = f(x)$ with respect to x when $x = a$.*